



**Roca**

**Limestone**

# Limestone

Inspired by the mix of shades and reflections present in the limestone surface, this collection will convert any space into a connection with nature.

Glazed Porcelain


◇ 12"x24" R



Limestone Blanco 12"x24" R



Limestone Vison 12"x24" R



Limestone Arena 12"x24" R

# Limestone


Glazed Porcelain



12"x24" R  
30x60 cm




## Blanco



12"x24" R  
FDB7M57011



## Gris



12"x24" R  
FDB7M57021



## Arena



12"x24" R  
FDB7M57371



## Vison



12"x24" R  
FDB7M57141

### Technical Specifications (Floor)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 450
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
PEI - Glazed Tiles	C1027	3
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

### Packaging Info

Size	SF per carton	PC per carton	BX per pallet	SF per pallet
12"x24" R	15.50	8	48	744.00